

SPECIFICATION SHEET

JFW MODEL 50FFP-XXX

DC PASSING FIXED ATTENUATOR

JFW Industries, Inc.
Phone: 317-887-1340
sales@jfwindustries.com
www.jfwindustries.com

Frequency Range	400-2500 MHz
Description	DC Passing Fixed Attenuator
Impedance	50 Ohms nominal
Attenuation Values	1 through 10 dB
VSWR	1.4:1 maximum
Attenuation Accuracy	± 0.4 dB
Insertion Loss @ 10 MHz	0.75 dB nominal
RF Input Power	+21 dBm maximum (120 milliWatts)
DC Current Handling	4 Amps
DC Resistance (Input to Output)	0.05 Ohms nominal
DC Breakdown Voltage	150 Volts
RF Connector	N, TNC, BNC or SMA
Operating Temperature Range	-40°C to +85°C
Outline Drawing Numbers	092-3134 (Connector Chart) 092-3134 (N M/F) 092-4276 (SMA M/F)

ECR/ECN #	DATE	REV	APPR / DATE	ECR/ECN #	DATE	REV	APPR / DATE
	02/16/2007		CLK 02/16/2007	28507	02/15/2018	C	TRS 02/15/2018
26700	06/08/2016	A	CLK 06/08/2016				
27494	01/23/2017	B	TRS 01/23/2017				