
NOTE: Information herein is believed by Southwest Microwave, Inc. to be accurate. However, Southwest Microwave assumes no responsibility for any omissions or errors or inaccuracies for its use or for any infringements of patents or other rights of third parties that may result from its use. Data is intended for informational purpose only and does not constitute a contract of sale or any express or implied warranty, including any warranty of merchant ability or fitness for a particular purpose.



TITLE

HOUSING:	STEEL, CRES ALLOY UNS-S30300 PER ASTM A582 PASSIVATE PER ASTM A967		
CONTACT:	BeCu, UNS C17300 PER ASTM B196/197 GOLD PLATE PER MIL-DTL-45204		
DIELECTRIC:	KEL-F PER ASTM D1430		
DIELECTRIC:	ULTEM 1000 PER ASTM D5205		
ITEM	MATERIAL & FINISH		

1. ALL DIMENSIONS ARE IN INCHES, ALL ANGLES ARE IN DEGREES. DIMENSIONS SHOWN IN BRACKETS [XXX] ARE IN MILLIMETERS.

NOTES: UNLESS OTHERWISE SPECIFIED

SOUTHWEST

MICROWAVE

CONTACT GAGING SPEC.	91K52111	
INTERFACE	91K52019	
SPECIFICATION GROUP	DRAWING NO.	

A1 ECN 9241 DATE: 05/05/14 APRVD AC 5/5/14

Southwest Microwave, Inc. 9055 South McKemy Street
Tempe, Arizona 85284-2946

Telephone (480) 783-0201

Fax (480) 783-0360

2.92mm JACK (F) 2 HOLE .500Lx.190W FLANGE Ø.025 X .430 LONG PROBE

	DATE: 10/10 3:1	MODEL NO. 1014-33SF	REV.
SHEET: 1	OF 1	DWG. NO. 79K60442	AI